


came die-casting




DIE-CASTING COMPONENTS

Summary	page
I RODS SERIES	3-18
II REMOVABLE FEET AND BOSSES - PRB SERIES	21-35
III LONG HEADER SERIES	37-40
IV SPECIAL SERIES	43-47
V CODING METHOD	49-50


DIE-CASTING COMPONENTS

RODS SERIES



RODS SERIES CASINGS

MEC 56-63-71-80-90 B5



MODEL	ØA	B	C	ØD	E	F	G	H	I	L	M	N	P	S	T	U
MEC 56 B5	80	100	/	88	/	/	/	/	/	70	75	27	59	3	15	/
MEC 63 B5	90	112	/	99	/	/	/	/	/	70	75	27	66,5	3	14	/
MEC 71 B5	110	124	/	118	/	/	/	/	/	70	75	27	75	3	15	/
MEC 80 B5	125	138	/	134	/	/	/	/	/	83	83	31	83	3	18	/
MEC 90 B5 S	135	145	/	145	/	/	/	/	/	83	83	32	90	3	16,5	/
MEC 90 B5 L	135	170	/	145	/	/	/	/	/	83	83	32	90	3	16,5	/

Cable outlets available MEC56: **M16**

Cable outlets available MEC63: **M16**


Cable outlets available MEC71: **M16-M20**

Cable outlets available MEC80: **M16-M20**

Cable outlets available MEC90: **M16-M20**

RODS SERIES CASINGS

MEC 56-63-71-80-90 B3



MODEL	Ø A	B	C	Ø D	E	F	G	H	I	L	M	N	P	Q	S	T	U
MEC 56 B3	80	100	90	88	107	90	71	6	8	70	75	27	59	56	3	15	6
MEC 63 B3	90	112	101	99	120	100	80	7,5	11,5	70	75	27	66,5	63	3	14	7
MEC 71 B3	110	124	112	118	135	112	90	7,5	12	70	75	27	75	71	3	15	8
MEC 80 B3	125	138	125	134	153	125	100	9	13	83	83	31	83	80	3	18	10
MEC 90 B3 S	135	145	128	145	170	140	100	10	13	83	83	32	90	90	3	19	10
MEC 90 B3 L	135	170	153	145	170	140	125	10	13	83	83	32	90	90	3	19	10

Cable outlets available MEC56: **M16**

Cable outlets available MEC63: **M16**


Cable outlets available MEC71: **M16-M20**

Cable outlets available MEC80: **M16-M20**

Cable outlets available MEC90: **M16-M20**

RODS SERIES CASINGS

MEC 63-71-80-90 BL




MODEL	ØA	B	C	ØD	E	F	G	H	I	L	M	N	P	Q	S	T	U
MEC 63 BL	90	112	101	99	120	100	80	7,5	11,5	70	75	/	66,6	63	3	/	7
MEC 71 BL	110	124	112	118	135	112	90	7,5	12	70	75	/	75	71	3	/	8
MEC 80 BL	125	138	125	134	153	125	100	9	13	83	83	/	83	80	3	/	10
MEC 90 BL S	135	145	128	145	170	140	100	10	13	83	83	/	83	90	3	/	10
MEC 90 BL L	135	170	153	145	170	140	125	10	13	83	83	/	83	90	3	/	10


RODS SERIES HEADERS AVAILABLE

MEC 63-71-80 BL


Completely closed



With seat for slot cable gland




With seat for slot cable gland




RODS SERIES HEADERS AVAILABLE

MEC 90-BL

Completely closed




With seat for slot cable gland



RODS SERIES CASINGS

MEC 100-112-132 B5



MODEL	ØA	B	C	ØD	E	F	G	H	I	L	M	N	O	P	R	ØS	T	U	ØV	ØZ	EYEBOLT COUPLING
IEC 100 B5	150	184,5	/	163	/	/	/	/	/	83	83	34	38	105	15	M6	18	/	176	5	NO
MEC 100 B5	152	184,5	/	163	/	/	/	/	/	83	83	34	38	105	15	M6	18	/	176	5	NO
MEC 112 B5	173	198	/	185	/	/	/	/	/	107	107	45	/	114	/	M6	23	/	195	/	M10
MEC 132 B5 S	200	220	/	214	/	/	/	/	/	107	107	45	/	142	/	M8	23	/	230	/	M10
MEC 132 B5 M	200	258	/	214	/	/	/	/	/	107	107	45	/	142	/	M8	23	/	230	/	M10


Cable outlets available MEC100: **M20-M25**

Cable outlets available MEC112: **M20-M25**

Cable outlets available MEC132: **M25-M32**

RODS SERIES CASINGS

MEC 100-112-132 B3



MODEL	ØA	B	C	ØD	E	F	G	H	I	L	M	N	P	Q	ØS	T	U	ØV	EYEBOLT COUPLING
IEC 100 B3	150	184,5	170	163	192	160	140	12,5	17,5	83	83	34	105	100	M6	18	13,5	176	NO
MEC 100 B3	152	184,5	170	163	192	160	140	12,5	17,5	83	83	34	105	100	M6	18	13,5	176	NO
MEC 112 B3	173	198	180	185	220	190	140	12,5	17,5	107	107	45	114	112	M6	23	14	195	M10
MEC 132 S B3	200	220	180	214	260	216	140	12,5	22,5	107	107	45	142	132	M8	23	16	230	M10
MEC 132 M B3	200	258	218	214	260	216	178	12,5	22,5	107	107	45	142	132	M8	23	16	230	M10


Cable outlets available MEC100: **M20-M25**

Cable outlets available MEC112: **M20-M25**

Cable outlets available MEC132: **M25-M32**

RODS SERIES CASINGS

MEC 100-112-132 BL




MODEL	ØA	B	C	ØD	E	F	G	H	I	L	M	N	P	Q	ØS	T	U	ØV	EYEBOLT COUPLING
IEC 100 BL	150	184,5	170	163	192	160	140	12,5	17,5	83	83	/	94	100	M6	/	13,5	176	NO
MEC 100 BL	152	184,5	170	163	192	160	140	12,5	17,5	83	83	/	94	100	M6	/	13,5	176	NO
MEC 112 BL	173	198	180	185	220	190	140	12,5	17,5	107	107	/	106,5	112	M6	/	14	195	M10
MEC 132 S BL	200	220	180	214	260	216	140	12,5	22,5	107	107	/	126	132	M8	/	16	230	M10
MEC 132 M BL	200	258	218	214	260	216	178	12,5	22,5	107	107	/	126	132	M8	/	16	230	M10

HEADERS RODS SERIES


MEC 56-63-71-80-90-100-112-132

Header MEC 56-63-71




MODEL	A	B	ØC	D	E
MEC 56-63-71	65	60	3,3	75	70

Header MEC 80-90-100




MODEL	A	B	ØC	D	E
MEC 80-90-100	70	70	3,3	83	83

Header MEC 112



MODEL	A	B	ØC	D	E
MEC 112	95	95	3,3	107	107


Header MEC 132



MODEL	A	B	ØC	D	E
MEC 132	95	95	3,3	107	107

HEADER COVER IP55 RODS SERIES

MEC 56-63-71-80-90-100-112-132





MODEL	A	B	C	D	E	F	G	H	ØI	L	M	N	P	S	WITHOUT UC	WITH UC
MEC 56-63-71	67,5	62,4	65	78,2	60	73,2	2,1	28	4,8	75	70	70,8	65,8	2,5	YES	NO
MEC 80-90-100	75,4	75,4	70	88	70	88	2,1	35	4,8	83	83	78,8	78,8	2,5	YES	YES
MEC 112-132	98	98	95	112	95	112	2,2	40	4,5	107	107	102,5	102,5	2,5	YES	YES

Cable outlets available 80-90-100: **M20**



Cable outlets available 112-132: 1/2" GAS-PG13,5-PG16

COVER FOR BODY OF HEADER COVER IP65 RODS SERIES

MEC 80-90-100-112-132



MODEL	A	B	C	D	E	F	ØG	H
SEAL IN RUBBER MEC 80-90-100	83	83	70	70	78,8	78,8	3,2	2,5
SEAL IN RUBBER MEC 112-132	107	107	95	95	102,5	102,5	4,5	2,5





MODEL	A	B	C	D	E	F	G	J	H	I	L	M	N	O	P	Q	R	S	T	U	Ø V	Ø W	Ø Z	WI-THOUT UC	WITH UC
MEC 80-90-100	104	104	90	90	83,5	83,5	74	74	43	41	19	24	91	70	91	70	96	96	4,5	36	4,3	3,3	4,6	NO	YES
MEC 112-132	130	130	112	112	107,5	107,5	98	98	50	45	23	27	118	95	118	95	120	120	4	43,5	5	3,3	4,8	NO	YES

Cable outlets available 80-90-100-112: **M20-M25-PG11-PG13.5**



Cable outlets available 112-132: PG21

COVER FOR BODY OF HEADER COVER IP65 RODS SERIES

MEC 80-90-100-112-132





MODEL	A	B	C	D	E	F	ØG	H
SEAL IN RUBBER MEC 80-90-100	104	104	91	91	96	96	5,5	1,5
SEAL IN RUBBER MEC 112-132	117	117	105	105	109	109	6,5	1,5



MODEL	A	B	C	D	ØE	F	G	H	I	L
MEC 80-90-100	107,5	107,5	91	91	5,5	96	96	19	104,5	104,5
MEC 112-132	121	121	105	105	6,5	109	109	17	116,5	116,5

SHIELDS 3T-4T RODS SERIES

MEC 56-63-71-80-90-100-112-132



Cap clip available on shield MEC 63 3T



For MEC 63, 71, 80, 90, and 100 are available also with shaft hole closed.

MODEL	A	B	C	Ø D	Ø E	F	Ø G		Ø H	Ø I	Ø L	Ø M		Ø N		O	P	3T	4T	WITHOUT INSERT	WITH INSERT
MEC 56	22,5		1	14	75	22	32		82	88	96	M5	5,5	12,5		108	0	NO	YES	YES	NO
MEC 63	26,5	2	18	90	24	8	32	35	93	99	110	M5	5,5	13	16	122	6,5	YES	YES	YES	NO
MEC 71	30	2	21	108	30	8	35	40	111,5	118	125	M5	5,5	16	18	139	9	NO	YES	YES	NO
MEC 80	32,5	2	19	120	40	8	40	47	127	134	142	M5	5,5	21		157	5	NO	YES	YES	NO
MEC 90	35	2	25,5	131	37	10	*47	52	138	144	156	M5	5,5	26		174	8	NO	YES	YES	YES
MEC 100	40,5	2	28	147	47	10	62		154,5	163	176	M6	6,5	32		190	11	NO	YES	YES	YES
MEC 112	43	2	28,5	168	60	12	72		177	185	195	M6	6,5	31		217	8,5	NO	YES	YES	YES
MEC 132	50	2	36,5	198	54,4	14	80	90	204,5	214	230	M8	8,5	41		256	10	NO	YES	YES	YES

* Insert not available for sh. Ø47

FLANGES B14 3T-4T RODS SERIES


MEC 56-63-71-80-90-100-112-132



MODEL	A	B	C	Ø D	Ø E	Ø F	Ø G		Ø H	Ø I	Ø L	Ø M	Ø N	Ø O		P	Ø T		Ø U	3T	4T	WI-THOUT INSERT	WITH INSERT	
MEC 56	28	25	14	80	51	21	32		82	88	96	M5	5,5	108	12,5	0	WITHOUT HOLES	M5	/	NO	YES	YES	NO	
MEC 63	31	28	18	90	61	23	32	35	93	99	110	M5	5,5	122	16	17	6,5	WITHOUT HOLES	M5	75	YES	YES	YES	NO
MEC 71	37,5	35,5	21	105,3	72	29	35	40	112	118	125	M5	5,5	139	16	9	WITHOUT HOLES	M6	85	NO	YES	YES	NO	
MEC 80	39	36,5	20	119,5	81	39,5	47		127	134	142	M5	5,5	157	21	4	WITHOUT HOLES	M6	100	NO	YES	YES	NO	
MEC 90	42	39	24	139,5	96,5	46	52		135,5	144	156	M5	5,5	170	26	7	WITHOUT HOLES	N.D.	N.D.	NO	YES	YES	YES	
MEC 100	50	46,5	28	160	111	47	62		156	163	176	M6	6,5	190	32	11	WITHOUT HOLES	N.D.	N.D.	NO	YES	YES	YES	
MEC 112	51	47	28,5	160	111	46,5	72		175	185	195	M6	6,5	212	31	10	WITHOUT HOLES	N.D.	N.D.	NO	YES	YES	YES	
MEC 132	58	54	36,5	200	131	49	80	90	204	214	230	M8	9	256	41	10,5	WITHOUT HOLES	N.D.	N.D.	NO	YES	YES	YES	

FLANGES B5 3T-4T RODS SERIES

MEC 56-63-71-80-90-100-112-132




for MEC 63-71-80-90-100 Ø L feedthrough also available

MODEL	A	B	Ø C	Ø D	Ø E	Ø F	Ø G	Ø H	Ø I	Ø L	Ø M	Ø N	O	P	Q	Ø T	3T	4T	WI-THOUT INSERT	WITH INSERT
MEC 63	28	14	120	100	81,5	12	32	87,5	M5	6,5	96	82,5	10	3	0	21	NO	YES	YES	NO
MEC 63	31,5	18	140	115	97	17,5	32 35	98	M5	9,5	110	91	8,5	3	6	22	YES	YES	YES	NO
MEC 71	38,3	20,8	160	130	111	16,5	35 40	119	M5	9,5	125	112	9,5	3	7,8	31	NO	YES	YES	NO
MEC 80	39	20	200	165	131	21	47	136	M5	11,5	142	129	9,5	3	5	39	NO	YES	YES	NO
MEC 90	42	26	200	165	131	26	52	145	M5	11,5	156	139	11	3	9,5	47	NO	YES	YES	YES
MEC 100	50	28	250	215	180,7	33	62	163	M6	14	176	155	12	3,5	11	47	NO	YES	YES	YES
MEC 112	51	28,5	250	215	181	31	72	185,5	M6	14	195	177	13,5	3	8,5	46,5	NO	YES	YES	YES
MEC 132	59	36,5	300	265	232	41	80 90	214	M8	14	230	204	16	4	10,5	49	NO	YES	YES	YES

SMALL FLANGES B5 4T, RODS SERIES


MEC 71-80-90-100



MODEL	A	B	Ø C	Ø D	Ø E	Ø F	Ø G		Ø H	Ø I		Ø L	Ø M	Ø N	O	P	Q	Ø T	WI- THOUT INSERT	WITH INSERT
MEC 71	37,5	20,5	140	115	96	16	35	40	119	M5		9,5	125	113	9,5	2,5	7	31	YES	NO
MEC 80	39	20	160	130	111	21	47		136	M5		9,5	142	129	9,5	2,5	5	39	YES	NO
MEC 90	42	26,5	160	130	111	26	52		145	M5		9,5	156	139	11	3	9,5	47	YES	YES
MEC 100	50	28	200	165	131	32,5	62		163	M6	6,5	11,7	176	155	11,5	3,5	11	47	YES	YES


II

DIE-CASTING COMPONENTS SERIES, REMOVABLE FEET AND BOSSES-PRB



CASINGS, SERIES WITH REMOVABLE FEET AND BOSSES

MEC 56-63-71-80-90-100-112-132 B5



MODEL	Ø A	B	Ø D	L	M	N	T	Ø V	Ø Z		EYEBOLT COUPLING
MEC 56 B5	80	100	88	70	70	30	15	96	M4	/	NO
MEC 63 B5	90	118	98	70	70	31	17	108	M5	5,5	NO
MEC 71 B5	110	122	118	70	70	31	17	124	M5	5,5	NO
IEC 71 B5	106,5	122	118	70	70	31	17	124	M5	5,5	NO
MEC 80 B5	125	139	135	85	85	39	19	142	M5	5,5	NO
IEC 80 B5	120	139	135	85	85	39	19	142	M5	5,5	NO
MEC 90 S B5	135	145	146	85	85	39	19	158	M6	6,5	NO
MEC 90 L B5	135	170	146	85	85	39	19	158	M6	6,5	NO
MEC 100 B5	152	187	162	85	85	39	19	176	M6	6,5	M8
IEC 100 B5	150	187	162	85	85	39	19	176	M6	6,5	M8
MEC 112 B5	173	196	184	85	85	N.D.	N.D.	195	M8	8,5	M8
IEC 112 B5	170	196	184	85	85	N.D.	N.D.	195	M8	8,5	M8
MEC 132 S B5	200	220	215	100	100	N.D.	N.D.	230	M8	8,5	M10
MEC 132 M B5	200	258	215	100	100	N.D.	N.D.	230	M8	8,5	M10

Available with logo Made in Italy


Cable outlets available 56-63-71: M16-M20

Cable outlets available 80-90-100: M20-M25

112-132: no existing cable outlets

MOUNTING IN B3

MEC 56-63-71-80-90-100-112-132 B3



MODEL	Ø A	B	Ø D	E	F	L	M	N	P	Q	T	Ø V	Ø Z	EYEBOLT COUPLING	
MEC 56 B3 *	80	100	88	90	108	70	70	30	63	56	15	96	M4	/	NO
MEC 63 B3	90	118	98	100	120	70	70	31	68	63	17	108	M5	5,5	NO
MEC 71 B3	110	122	118	112	136	70	70	31	78	71	17	124	M5	5,5	NO
IEC 71 B3	106,5	122	118	112	136	70	70	31	78	71	17	124	M5	5,5	NO
MEC 80 B3	125	139	135	125	154	85	85	39	87,5	80	19	142	M5	5,5	NO
IEC 80 B3	120	139	135	125	154	85	85	39	87,5	80	19	142	M5	5,5	NO
MEC 90 S B3	135	145	146	140	174	85	85	39	91	90	19	158	M6	6,5	NO
MEC 90 L B3	135	170	146	140	174	85	85	39	91	90	19	158	M6	6,5	NO
MEC 100 B3	152	187	162	160	192	85	85	39	102	100	19	176	M6	6,5	M8
IEC 100 B3	150	187	162	160	192	85	85	39	102	100	19	176	M6	6,5	M8
MEC 112 B3	173	196	184	190	224	85	85	N.D.	114	112	N.D.	195	M8	8,5	M8
IEC 112 B3	170	196	184	190	224	85	85	N.D.	114	112	N.D.	195	M8	8,5	M8
MEC 132 S B3	200	220	215	212	258	100	100	N.D.	131	132	N.D.	230	M8	8,5	M10
MEC 132 M B3	200	258	215	212	258	100	100	N.D.	131	132	N.D.	230	M8	8,5	M10

Available with logo Made in Italy

Cable outlets available 56-63-71: M16-M20


Cable outlets available 80-90-100: M20-M25

112-132: no existing cable outlets

* Present in MEC 56 B3 with fixed feet in special series casings

MOUNTING IN BL

MEC 63-71-80-90-100-112-132 BL



MODEL	Ø A	B	Ø D	E	F	L	M	P	Q	Ø V	Ø Z		EYEBOLT COUPLING
MEC 56 BL *													
MEC 63 BL	90	118	98	100	120	70	70	58,75	63	108	M5	5,5	NO
MEC 71 BL	110	122	118	112	136	70	70	67,5	71	124	M5	5,5	NO
IEC 71 BL	106,5	122	118	112	136	70	70	67,5	71	124	M5	5,5	NO
MEC 80 BL	125	139	135	125	154	85	85	75,5	80	142	M5	5,5	NO
IEC 80 BL	120	139	135	125	154	85	85	75,5	80	142	M5	5,5	NO
MEC 90 S BL	135	145	146	140	174	85	85	85	90	158	M6	6,5	NO
MEC 90 L BL	135	170	146	140	174	85	85	85	90	158	M6	6,5	NO
MEC 100 BL	152	187	162	160	192	85	85	93,75	100	176	M6	6,5	M8
IEC 100 BL	150	187	162	160	192	85	85	93,75	100	176	M6	6,5	M8
MEC 112 BL	173	196	184	190	224	85	85	104	112	195	M8	8,5	M8
IEC 112 BL	170	196	184	190	224	85	85	104	112	195	M8	8,5	M8
MEC 132 S BL	200	220	215	212	258	100	100	126	132	230	M8	8,5	M10
MEC 132 M BL	200	258	215	212	258	100	100	126	132	230	M8	8,5	M10

Available with logo Made in Italy

Cable outlets available 63-71: M16-M20

Cable outlets available 80-90-100: M20-M25


112-132: no existing cable outlets

* Present in MEC 56 BL with fixed feet in special series casings

HEADERS, SERIES WITH REMOVABLE FEET AND BOSSES


MEC 56-63-71-80-90-100-112-132

Header MEC 56-63-71-80-90-100




MODEL	A	B	C	D	ØE	ØF
MEC 56-63-71 IEC 71	64	64	60	60	3,3	3,3
MEC 80-90-100 IEC 80	78	78	73	73	4,3	3,3

Header MEC 112



MODEL	A	B	C	D	ØE	ØF
MEC 112 IEC 112	78	78	73	73	4,3	3,3


Header MEC 132



MODEL	A	B	C	D	ØE	ØF
MEC 132	92	92	82	82	5,1	4,3

CASINGS SERIES WITH REMOVABLE FEET AND BOSSES

MEC 56-63-71-80-90-100-112-132 B5 WITH TUNNEL



MODEL	Ø A	B	Ø D	L	M	N	T	Ø V	Ø Z	EYEBOLT COUPLING
MEC 56 B5	Product not available									
MEC 63 B5	90	118	98	70	70	31	17	108	5,5	NO
MEC 71 B5	110	122	118	70	70	31	17	124	5,5	NO
IEC 71 B5	106,5	122	118	70	70	31	17	124	5,5	NO
MEC 80 B5	125	139	135	85	85	39	19	142	5,5	NO
IEC 80 B5	120	139	135	85	85	39	19	142	5,5	NO
MEC 90 S B5	Product not available									
MEC 90 L B5	Product not available									
MEC 100 B5	Product not available									
IEC 100 B5	150	187	162	85	85	39	19	176	6,5	M8
MEC 112 B5	Product not available									
IEC 112 B5	170	196	184	85	85	N.D.	N.D.	195	8,5	M8
MEC 132 S B5	Product not available									
MEC 132 M B5	Product not available									

Available with logo Made in Italy


Cable outlets available 63-71: M16-M20

Cable outlets available 80-90-100: M20-M25

112-132: no existing cable outlets

MOUNTING IN B3

MEC 56-63-71-80-90-100-112-132 B3 WITH TUNNEL



MODEL	Ø A	B	Ø D	E	F	L	M	N	P	Q	T	Ø V	Ø Z	EYEBOLT COUPLING
MEC 56 B3	Product not available													
MEC 63 B3	90	118	98	100	120	70	70	31	68	63	17	108	5,5	NO
MEC 71 B3	110	122	118	112	136	70	70	31	78	71	17	124	5,5	NO
IEC 71 B3	106,5	122	118	112	136	70	70	31	78	71	17	124	5,5	NO
MEC 80 B3	125	139	135	125	154	85	85	39	87,5	80	19	142	5,5	NO
IEC 80 B3	120	139	135	125	154	85	85	39	87,5	80	19	142	5,5	NO
MEC 90 S B3	Product not available													
MEC 90 L B3	Product not available													
MEC 100 B3	Product not available													
IEC 100 B3	150	187	162	160	192	85	85	39	102	100	19	176	6,5	M8
MEC 112 B3	Product not available													
IEC 112 B3	170	196	184	190	224	85	85	N.D.	114	112	N.D.	195	8,5	M8
MEC 132 S B3	Product not available													
MEC 132 M B3	Product not available													

Available with logo Made in Italy


Cable outlets available 63-71: M16-M20

Cable outlets available 80-90-100: M20-M25

112-132: no existing cable outlets

MOUNTING IN BL

MEC 63-71-80-90-100-112-132 BL WITH TUNNEL



MODELLO	Ø A	B	Ø D	E	F	L	M	O	P	Q	Ø V	Ø Z	EYEBOLT COUPLING
MEC 56 BL	Product not available												
MEC 63 BL	90	118	98	100	120	70	70	58,75	68	63	108	5,5	NO
MEC 71 BL	110	122	118	112	136	70	70	67,5	78	71	124	5,5	NO
IEC 71 BL	106,5	122	118	112	136	70	70	67,5	71	124	M5	5,5	NO
MEC 80 BL	125	139	135	125	154	85	85	75,5	87,5	80	142	5,5	NO
IEC 80 BL	120	139	135	154	85	85	85	75,5	87,5	80	142	5,5	NO
MEC 90 S BL	Product not available												
MEC 90 L BL	Product not available												
MEC 100 BL	Product not available												
IEC 100 BL	150	187	162	160	192	85	85	93,75	102	100	176	6,5	M8
MEC 112 BL	Product not available												
IEC 112 BL	170	196	184	190	224	85	85	104	114	112	195	8,5	M8
MEC 132 S BL	Product not available												
MEC 132 M BL	Product not available												

Available with logo Made in Italy

Cable outlets available 63-71: M16-M20


Cable outlets available 80-90-100: M20-M25

112-132: no existing cable outlets

HEADERS, SERIES WITH REMOVABLE FEET AND BOSSES


MEC 63-71-80-90-100-112-132 WITH TUNNEL

Header MEC 63-71-80
Header IEC 71-80-100



MODEL	A	B	C	D	ØE	ØF
MEC 63-71	64	64	60	60	3,3	3,3
IEC 71	64	64	60	60	3,3	3,3
MEC 80	78	78	73	73	4,3	3,3
IEC 80	78	78	73	73	4,3	3,3
IEC 100	78	78	73	73	4,3	3,3


Header IEC 112



MODEL	A	B	C	D	ØE	ØF
IEC 112	78	78	73	73	4,3	3,3

FOOT, SERIES WITH REMOVABLE FEET AND BOSSES


MEC 56-63-71-80-90-100-112-132



MODEL	A	B	C	D	E	F	G	H	I	L	M	N	ØO	P	ØS
MEC 56	90	28	18	10	30,5	16,5	57	16,5	71	36	11	6	5,5	21	N.D.
MEC 63	105	33	23	10	35	26	53	26	80	42	12	7	5,5	28	M5
MEC 63 BL	105	27	17	10	35	26	53	26	80	42	12	7	5,5	28	M5
MEC 71	108	32,5	21,5	11	35	26,4	55,2	26,4	90	42	12	7	5,5	30	N.D.
MEC 80	125	35,9	22,9	13	40	31	63	31	100	52	16,5	9,5	5,5	40	N.D.
MEC 90 S	130	46	31	15	49,5	31	68	31	100	50	17,5	10	6,5	42	N.D.
MEC 90 L	155	46	31	15	49,5	33	89	33	125	70	17,5	10	6,5	42	N.D.
MEC 100	175	45	29	16	47,7	35	105	35	140	90	22	12	8,5	37	N.D.
MEC 112	176,5	35,6	19,6	16	61,4	35	106,5	35	140	84	22	12	8,5	40	N.D.
MEC 132 S	180	66	48	18	67,5	41	98	41	140	76	28	12	10,5	58	N.D.
MEC 132 M	218	66	48	18	67,5	39	140	39	178	76	28	12	10,5	58	N.D.

HEADER COVER IP55 SERIES WITH REMOVABLE FEET AND BOSSES

MEC 56-63-71-80-90-100-112-132



MODEL	A	B	C	D	E	F	G	H	ØI	L	M	N	P	S	WITHOUT UC	WITH UC
MEC 56-63-71	60	60	62	62	74,5	74,5	4,25	33,5	4,5	70,5	70,5	62	62	1,5	YES	YES
MEC 80-90-100-112	73	73	75	75	90,5	90,5	5	40	5,5	85	85	75	75	1,8	YES	YES
MEC 132	82	82	88	88	105	105	5,6	46	5,5	99,75	99,75	88,5	88,5	2	YES	YES



Cable outlets available 56-63-71: M16

Cable outlets available 80-90-100-112: M20



Cable outlets available 132: M25

HEADER COVER IP65 REMOVABLE FEET SERIES AND BOSSES

MEC 80-90-100-112-132



MODEL	A	B	C	D	E	F	ØG	H
SEAL IN RUBBER MEC 80-90-100-112	85	85	73	73	75	75	5,5	1,5
SEAL IN RUBBER MEC 132	100	100	83	83	87	87	6,5	1,5



MODEL	A	B	C	D	E	F	G	J	H	I	L	M	N	O	P	Q	R	S	T	U	Ø V	Ø W	Ø Z	WITHOUT UC	WITH UC
MEC 80-90-100-112	104	104	90	90	85,3	85,3	74	74	43	41	19	24	91	73	91	73	96	96	4,5	36	4,3	3,3	5,4	NO	YES
MEC 132	116	116	104	104	100,5	100,5	88	88	50	45	23	27	105	82	105	82	107	107	4	43,5	5,1	N.D.	6,5	NO	YES



Cable outlets available 80-90-100-112: PG11-

PG13,5-M20-M25



Cable outlets available 132: M32

COVER FOR BODY OF HEADER COVER IP65 SERIES WITH REMOVABLE FEET AND BOSSES

MEC 80-90-100-112-132





MODEL	A	B	C	D	E	F	ØG	H
SEAL MEC 80-90- 100-112 IN RUBBER	104	104	91	91	96	96	5,5	1,5
SEAL MEC 132 IN RUBBER	117	117	105	105	109	109	6,5	1,5



MODEL	A	B	C	D	ØE	F	G	H	I	L
MEC 80-90-100-112	107,5	107,5	91	91	5,5	96	96	19	104,5	104,5
MEC 132	121	121	105	105	6,5	109	109	17	116,5	116,5

SHIELD 4T SERIES WITH REMOVABLE FEET AND BOSSES


MEC 56-63-71-80-90-100-112-132



MODEL	A	C	Ø D	Ø E	F	Ø G	Ø H	Ø L	Ø M	Ø N	Ø O	P	WI- THOUT INSERT	WITH IN- SERT
MEC 56	21,5	15	78,5	22	8	32	82	96	4,2	12,5	108,5	3	YES	NO
MEC 63	24,5	16	90	24	9	35	91	108	5,5	16	120	2	YES	NO
MEC 71	31,5	22,5	108	24	8,5	35	111	124	5,5	16	136	8,5	YES	NO
MEC 80	32	20,5	120	30	9,5	47	127,5	142	5,5	21	154	5	YES	NO
MEC 90	35,5	25	136	37	11	52	138,5	158	6,5	26	174	6,5	YES	YES
MEC 100	41,5	31,5	150	50	11	62	154	176	6,5	31	192	11,5	YES	YES
MEC 112	44,5	32,5	166	50	11	72	176	195	8,5	31	216	9,5	YES	YES
MEC 132	49,5	35,5	200	52	12	80	90	205	9	41	250	6	YES	YES

FLANGES B14 4T SERIES WITH REMOVABLE FEET AND BOSSES


MEC 56-63-71-80-90-100-112-132



MODEL	A	B	C	Ø D	Ø E	Ø F	Ø G		Ø H	Ø I	Ø L	Ø M	Ø O	P	Ø V		Ø Z	WI-THOUT INSERT	WITH INSERT
MEC 56	26,5	24	16	80	51	22	32		82	106,5	96	5,0	12,5	4	WI-THOUT HOLES	M5	65	YES	NO
MEC 63	29,5	27,5	16,5	90	61	23	35		91	120	108	5,5	16	5	WI-THOUT HOLES	M5	75	YES	NO
MEC 71	38	36	22	105	71	23	35		111	136	124	5,5	16	6,5	WI-THOUT HOLES	M6	85	YES	NO
MEC 80	39	36	20,5	121	81	30	47		127,5	154	142	5,5	21	6,5	WI-THOUT HOLES	M6	100	YES	NO
MEC 90	41,5	39	23	142	96,5	35	52		139	174	158	6,5	26	8	WI-THOUT HOLES	M8	115	YES	YES
MEC 100	48,5	44,8	30	160	112	49	62		154	189	176	6,5	31,5	11	WI-THOUT HOLES	N.D.	N.D.	YES	YES
MEC 112	51,5	47,7	32,5	160	115	48,8	72		175,5	213	195	8,5	31,5	12,5	WI-THOUT HOLES	N.D.	N.D.	YES	YES
MEC 132	57,5	54,5	36,5	200	131,5	50	80	90	207	250	230	9	43	7	WI-THOUT HOLES	N.D.	N.D.	YES	YES

FLANGE B14 4T SERIES WITH REMOVABLE FEET AND BOSSES

MEC 56-63-71-80-90-100-112-132



MODEL	A	B	Ø C	Ø D	Ø E	Ø F	Ø G		Ø H	Ø I	Ø L	Ø M	Ø N	O	P	Q	Ø T	Ø U	WI- THOUT INSERT	WITH INSERT
MEC 56	28	15	120	96	81	12,5	32		87,5	6,0	8,6	100	82	9	2,5	4	7	21	YES	NO
MEC 63	30	17,5	140	108	96	16	35		98	5,5	10	115	92	10,5	2,5	2,5	10	23	YES	NO
MEC 71	39	23,5	160	124	111,5	16	35		118	5,5	10	130	111	10,5	3,5	9	10	23	YES	NO
MEC 80	39	20	200	142	131,5	21	47		135	5,5	10	165	128	12	3	8	12	29	YES	NO
MEC 90	42,5	25,5	200	158	131,5	26	52		146	6,5	11	165	138,5	12	3	6,5	12	35	YES	YES
MEC 100	50	30,5	250	176	181,5	31	62		162	6,5	11	215	154,5	15,5	4,5	7,5	14	49	YES	YES
MEC 112	52,5	32	250	195	181,5	31	72		184	8,5	12,6	215	176	16	4,5	7	14	49	YES	YES
MEC 132	61,5	37,5	300	230	232	42	80	90	215	9	16	265	206	21	3,5	12,5	14	52	YES	YES


III

DIE-CASTING COMPONENTS


LONG HEADER
SERIES

CASINGS, LONG HEADER SERIES


MEC 63-71-80 B5




Header MEC 63 B5



Header MEC 71 B5



Header MEC 80 B5




MODEL	ØA	B	ØD	L	M	ØN	P	T	U	V	Z
MEC 63 B5	90	117	99	78	103	3,3	65	94	68	73,5	98,5
MEC 71 B5	110	124	118	75,5	113,5	3,3	75	106	68	71,5	109,5
MEC 80 B5	125	138	134	87	125	3,3	86	115	77	82	120




CASINGS, LONG HEADER SERIES


MEC 63-71-80 B3




Header MEC 63 B3



Header MEC 71 B3



Header MEC 80 B3




MODEL	ØA	B	C	ØD	E	F	G	H	I	L	M	ØN	P	Q	S	T	U	V	Z
MEC 63 B3	90	117	101	99	120	98	80	7	11	78	103	3,3	65	63	7	94	68	73,5	98,5
MEC 71 B3	110	124	113	118	136	112	90	7	11	75,5	113,5	3,3	75	71	8	106	68	71,5	109,5
MEC 80 B3	125	138	125	134	153	125	100	9	13	87	125	3,3	86	80	10	115	77	82	120

HEADERS, LONG HEADER SERIES


MEC 63-71-80

Long header MEC 63 B3-B5




MODEL	A	B	ØC	D	E	F	G
MEC 63	94	68	3,3	103	77,75	73,2	98,6

Long header MEC 71 B3-B5



MODEL	A	B	ØC	D	E	F	G
MEC 71	106	68,5	3,3	113,5	75,5	71,5	109,5

Long header MEC 80 B3-B5






MODEL	A	B	ØC	D	E	F	G
MEC 80	115	77	3,3	125	87	82	120




HEADER COVERS, LONG HEADER SERIES

MEC 63-71-80 VERSION CAN BE SUPPLIED WITH WINDOW FOR QxP SWITCH



seal in rubber



MODEL	A	B	C	D	E	F	ØG	H
MEC 63	104	77,5	94	68	94	67,5	4,5	2
MEC 71	117	78	106	68	108	69	4,5	2
MEC 80	125,8	87,5	115	77	119,9	81,9	4,5	1,5


header covers, long header series available only in plastic

MODEL	A	B	C	D	E	F	Ø G	H	I	L	M	N	Ø O	Q	P
MEC 63	106,9	80,7	94	68	91	65	4,4	36,5	30,5	6	97	70,5	M20	29,5	22
MEC 71	119,5	80,5	106	68	105	66	4,4	36,5	30,5	6	109,5	70,5	M20	29,5	22
MEC 80	128,5	90,5	115	77	117	79	4,4	37	31	6	121	83	M20	31	22

IV **DIE-CASTING COMPONENTS** **SPECIAL SERIES**

CASINGS, SPECIAL SERIES


MEC 56 BL PRB FIXED FEET



MODEL	øA	B	C	øD	E	F	G	H	I	L	M	N	P	Q	øV	øZ	EYEBOLT COUPLING
MEC 56 BL	80	100	90	88	90	108	71	6,2	11,2	70	70	30	61	56	96	M4	NO

IV CASINGS, SPECIAL SERIES



MEC 56 B3 PRB FIXED FEET



MODEL	Ø A	B	C	Ø D	E	F	G	H	I	L	M	N	P	Q	T	Ø V	Ø Z	EYEBOLT COUPLING
MEC 56 B3	80	100	90	88	90	108	71	6,2	11,2	70	70	30	63	56	15	96	M4	NO

Cable outlets available 56: M16-M20



MEC 63 B5



MODEL	ØA	B	C	ØD	E	F	G	H	I	L	M	N	P	Q	S	T	U	V
MEC 63 B5	90	112	/	99	/	/	/	/	/	70	75	27	66,5	58,5	3	14	/	/

IV CASINGS, SPECIAL SERIES WITHOUT FINS



MEC 63 B5



MODEL	Ø A	B	C	Ø D	E	F	G	H	I	L	M	N	P	Q	S	T	U	V
MEC 63 B5	90	112	/	99	/	/	/	/	/	70	75	27	66,5	58,5	3	14	/	/

CASINGS, SPECIAL SERIES

MEC 80 B5 RAIDER






MODEL	ØA	B	ØC	ØD	E	F	G	H	I	L	M	N	P	Q	S	T	U
MEC 80 B5	125	138	22	134	/	/	/	83	100	83	83	32	25	74	7	18	/

V

DIE-CASTING COMPONENTS
CODING METHOD

CASING, FLANGE B14, SHIELD


CODE INDICATIONS



V FLANGE B5, FLANGE B5 SMALL, HEADER COVER

CODE INDICATIONS


FLANGE B5



Article Model Top Header Ø Seat of Bearing With Holes or Without Holes Ø Rods Holes

F.MEC 63	B5	4T	35	4,2	C.F./S.F.
----------	----	----	----	-----	-----------


FLANGE B5 SMALL



Article Model No. of Rods Ø Seat of Bearing With Holes or Without Holes Ø Rods Holes

F.MEC 71	B5R	4T	40	4,2	C.F./S.F
----------	-----	----	----	-----	----------

HEADER COVER



Articolo Modello Came o Tedesco Modalità foro (Aperto-Chiuso) Ø Fori

C.BASETTA	MEC 80-100	C/T	DX A	PG 13,5 -13,5
-----------	------------	-----	------	---------------

NOTE

came

Via Risorgimento, 96 - 36070 San Pietro Mussolino (VI), Italy

Telefono +39 0444 488282

Fax +39 0444 487109 +39 0444 487373

E-mail info@came-italy.com

www.Came-Italy.com